

Init done

False

Websocket: QO_Spectrum: Try connect..

Websocket: QO_Spectrum: Connected.

Restoring Window Positions:

Size: (1066,1936)

Position: (-8,-8)

Error reading frequencies.json - file missing, or wrong format :Could not find file
'C:\Users\pclay\Desktop\OPENTUNER ver .9\frequencies.json'.

Load Done

Main: Starting Source

Trying detected ports:

i2c port: 0

ts port: 0

ts2 port: 0

Device Open

Claim 0: True

Claim 1: True

I2C Endpoint Reader Address : 81

I2C Endpoint Writer Address : 2

TS2 Endpoint Reader Address : 83

TS1 Endpoint Reader Address : 84

True

Flow: FTDI set mpsse mode

Flush Buffer Requested

True

LibUsbDotNet.LibUsb.UsbEndpointReader

LibUsbDotNet.LibUsb.UsbEndpointWriter

mppse synced

Main: Starting Nim Thread

Switch LED's

False

False

Change Frequency: 1

RF Input: Nim Input Top Specified

Main: New Config: Config: Freq: 741525,1500 - LNB Supply :False, Horiz Supply :False, RF Input : 1

Main: Stopping Media Player 1

Change Frequency: 2

RF Input: Nim Input Top Specified

Main: New Config: Config: Freq: 741525,1500 - LNB Supply :False, Horiz Supply :False, RF Input : 1

Main: Stopping Media Player 2

>> Starting TS Thread <<

>> Registering Raw TS Queue <<

>> Starting TS Thread <<

>> Registering Raw TS Queue <<

Nim Thread: Starting...

>> Starting TS Worked Thread <<

TS Thread: Starting...

Flow: STV0910 init

>> Starting TS Worked Thread <<

TS Thread: Starting...

>> Registering New Queue <<

>> Registering New Queue <<

>> Registering New Queue <<

>> Registering New Queue <<

>> Registering New Queue <<

>> Registering New Queue <<

Flow: STV0910 init regs

Status: STV0910 MID = 51, DID = 20

Flow: STV0910 set MCLK

Init Nim

Flow: NIM init

Nim Thread: Initial Config

Configure Demod Receive - 1

Flow: Setup equalizers: 1

Flow: Setup carrier loop: 1

Flow: Setup timing loop 1

Configure Tuner - 1

Flow: Tuner 1 init 741525 antenna 1

Flow: Tuner cal lowpass

Flow: Tuner set freq

Demod Start Scan - 1

Flow: STV0910 start scan

Nim Thread: Nim Init Good

Configure Demod Receive - 2

Flow: Setup equalizers: 2

Flow: Setup carrier loop: 2

Flow: Setup timing loop 2

Configure Tuner - 2

Flow: Tuner 2 init 741525 antenna 1

Flow: Tuner cal lowpass

Flow: Tuner set freq

Demod Start Scan - 2

Flow: STV0910 start scan

Nim Thread: Nim Init Good

T1P2 - Lock State Change: False->True

Starting TS:MT TS2

Main: Starting Media Player 1

start event loop

T2P1 - Lock State Change: False->True

Starting TS:MT TS1

Main: Starting Media Player 2

Alt Play Start

Alt Stop

StreamCBOpenFN Called

myprotocol://fake

Alt Stop Done

MPV Event: MPV_EVENT_START_FILE

Ignoring: 3456,384

HWND: 1115766

Alt Play Stop

[000001d64f54dcb0] imem demux error: Invalid get/release funIgnoring: 320,320

ction pointers

Open Media Input

VLC: Playing

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

[000001d64f55e830] main decoder error: buffer deadlock prevented

h264: non-existing PPS 0 referenced

h264: non-existing PPS 0 referenced

h264: decode_slice_header error

h264: no frame!

MPV Event: MPV_EVENT_AUDIO_RECONFIG

MPV Event: MPV_EVENT_AUDIO_RECONFIG

MPV Event: MPV_EVENT_FILE_LOADED

h264: co located POCs unavailable

h264: co located POCs unavailable

h264: top block unavailable for requested intra mode

h264: error while decoding MB 41 0, bytestream 4504

h264: top block unavailable for requested intra mode

h264: error while decoding MB 53 0, bytestream 3546

h264: top block unavailable for requested intra mode -1

h264: error while decoding MB 6 0, bytestream 4381

h264: top block unavailable for requested intra mode

h264: error while decoding MB 2 0, bytestream 462

h264: error while decoding MB 28 2, bytestream -5

h264: top block unavailable for requested intra mode

h264: error while decoding MB 39 0, bytestream 610

h264: left block unavailable for requested intra4x4 mode -1

h264: error while decoding MB 0 3, bytestream 2257

h264: error while decoding MB 78 0, bytestream -17

h264: error while decoding MB 2 1, bytestream -7

h264: error while decoding MB 24 4, bytestream -11

h264: top block unavailable for requested intra mode

h264: error while decoding MB 79 0, bytestream 210

MPV Event: MPV_EVENT_AUDIO_RECONFIG

[000001d64f684880] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

[000001d64f5b9330] direct3d11 vout displauto

ay error: SetThumbNailClip failed: 0x800706f4

Change Frequency: 2

RF Input: Nim Input Top Specified

Main: New Config: Config: Freq: 746767,500 - LNB Supply :False, Horiz Supply :False, RF Input : 1

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

[h264 @ 000001d64f559240] get_buffer() failed

[h264 @ 000001d64f559240] thread_get_buffer() failed

[h264 @ 000001d64f559240] decode_slice_header error

[h264 @ 000001d64f559240] no frame!

Close Media Input

[000001d64f5b9330] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

Alt Stop Done

Configure Demod Receive - 2

Flow: Setup equalizers: 2

Flow: Setup carrier loop: 2

Flow: Setup timing loop 2

Configure Tuner - 2

Flow: Tuner 2 init 746767 antenna 1

Flow: Tuner cal lowpass

Flow: Tuner set freq

Demod Start Scan - 2

Flow: STV0910 start scan

Nim Thread: Nim Init Good

T2P1 - Lock State Change: True->False

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Alt Stop Done

T2P1 - Lock State Change: False->True

Starting TS:MT TS1

Main: Starting Media Player 2

Alt Play Start

Alt Stop

Alt Stop Done

HWND: 1115766

Alt Play Stop

[000001d64f569910] imem demux error: Invalid get/release function pointers

Open Media Input

VLC: Playing

[000001d64f5693d0] ts demux error: libdvbpsi error (misc PSI): Bad CRC_32 table 0x2 !!!

[000001d66547feb0] mpeg4audio packetizer: AAC channels: 2 samplerate: 48000

[000001d66547f400] main decoder error: buffer deadlock prevented

[000001d6629eb6a0] main input error: ES_OUT_SET_(GROUP_)PCR is called too late (pts_delay increased to 300 ms)

[000001d66547f400] main decoder error: buffer deadlock prevented

[000001d6654805d0] main decoder error: buffer deadlock prevented

[000001d64f64fc90] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

[000001d64f64ecd0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

Change Frequency: 2

RF Input: Nim Input Top Specified

Main: New Config: Config: Freq: 744234,500 - LNB Supply :False, Horiz Supply :False, RF Input : 1

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Close Media Input

[000001d64f6501d0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

Alt Stop Done

Configure Demod Receive - 2

Flow: Setup equalizers: 2

Flow: Setup carrier loop: 2

Flow: Setup timing loop 2

Configure Tuner - 2

Flow: Tuner 2 init 744234 antenna 1

Flow: Tuner cal lowpass

Flow: Tuner set freq

Demod Start Scan - 2

Flow: STV0910 start scan

Nim Thread: Nim Init Good

T2P1 - Lock State Change: True->False

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Alt Stop Done

T2P1 - Lock State Change: False->True

Starting TS:MT TS1

Main: Starting Media Player 2

Alt Play Start

Alt Stop

Alt Stop Done

HWND: 1115766

Alt Play Stop

[000001d64f70ca20] imem demux error: Invalid get/release function pointers

Open Media Input

VLC: Playing

[000001d64f70fab0] main decoder error: buffer deadlock prevented

[000001d64f7101d0] main decoder error: buffer deadlock prevented

[000001d64f710560] mpeg4audio packetizer: AAC channels: 1 samplerate: 44100

[000001d64f7271d0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

[000001d64f726f30] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

Change Frequency: 1

RF Input: Nim Input Top Specified

Main: New Config: Config: Freq: 745259,500 - LNB Supply :False, Horiz Supply :False, RF Input : 1

Stopping TS: MT TS2

Main: Stopping Media Player 1

h264: error while decoding MB 19 42, bytestream -17

Configure Demod Receive - 1

Flow: Setup equalizers: 1

Flow: Setup carrier loop: 1

Flow: Setup timing loop 1

Configure Tuner - 1

Flow: Tuner 1 init 745259 antenna 1

Flow: Tuner cal lowpass

Flow: Tuner set freq

Demod Start Scan - 1

Flow: STV0910 start scan

Nim Thread: Nim Init Good

T1P2 - Lock State Change: True->False

Stopping TS: MT TS2

Main: Stopping Media Player 1

T1P2 - Lock State Change: False->True

Starting TS:MT TS2

Main: Starting Media Player 1

Destroy

Close Callback Called

start event loop

MPV Event: MPV_EVENT_START_FILE

StreamCBOpenFN Called

¶

myprotocol://fake

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

hevc: PPS id out of range: 0

MPV Event: MPV_EVENT_AUDIO_RECONFIG

MPV Event: MPV_EVENT_AUDIO_RECONFIG

MPV Event: MPV_EVENT_FILE_LOADED

hevc: Could not find ref with POC 72

hevc: Could not find ref with POC 70

hevc: Could not find ref with POC 68

hevc: Could not find ref with POC 66

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

hevc: Could not find ref with POC 70

hevc: Could not find ref with POC 68

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

hevc: Could not find ref with POC 70

hevc: Could not find ref with POC 68

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

hevc: Could not find ref with POC 70

hevc: Could not find ref with POC 68

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

hevc: Could not find ref with POC 70

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

MPV Event: MPV_EVENT_AUDIO_RECONFIG

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 72

auto

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 76

hevc: Could not find ref with POC 76

[000001d64f70c8d0] ts demux error: libdvbpsi error (PSI decoder): TS discontinuity (received 3, expected 12) for PID 0

[000001d64f70c8d0] ts demux error: libdvbpsi error (PSI decoder): TS discontinuity (received 10, expected 4) for PID 0

[000001d64f70c8d0] ts demux error: libdvbpsi error (PSI decoder): TS discontinuity (received 12, expected 11) for PID 0

T2P1 - Lock State Change: True->False

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

[hevc @ 000001d64f620000] get_buffer() failed

[hevc @ 000001d64f620000] thread_get_buffer() failed

[hevc @ 000001d64f61e900] Could not find ref with POC 20

Close Media Input

[000001d64f7271d0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

Alt Stop Done

T1P2 - Lock State Change: True->False

Stopping TS: MT TS2

Main: Stopping Media Player 1

Change Frequency: 2

RF Input: Nim Input Top Specified

Main: New Config: Config: Freq: 741525,1500 - LNB Supply :False, Horiz Supply :False, RF Input : 1

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Alt Stop Done

Configure Demod Receive - 2

Flow: Setup equalizers: 2

Flow: Setup carrier loop: 2

Flow: Setup timing loop 2

Configure Tuner - 2

Flow: Tuner 2 init 741525 antenna 1

Flow: Tuner cal lowpass

Flow: Tuner set freq

Demod Start Scan - 2

Flow: STV0910 start scan

Nim Thread: Nim Init Good

T2P1 - Lock State Change: False->True

Starting TS:MT TS1

Main: Starting Media Player 2

Alt Play Start

Alt Stop

Alt Stop Done

HWND: 1115766

Alt Play Stop

[000001d665407ec0] imem demux error: Invalid get/release function pointers

Open Media Input

Ignoring: 256,256

VLC: Playing

[000001d64f70fab0] main decoder error: buffer deadlock prevented

[000001d64f5b35b0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

[000001d64f5b25f0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

T2P1 - Lock State Change: True->False

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Close Media Input

[000001d64f5b35b0] direct3d11 vout display error: SetThumbNailClip failed: 0x800706f4

Alt Stop Done

Stopping TS: MT TS2

Main: Stopping Media Player 1

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Alt Stop Done

TS Recorded Thread: Closing

Closing TS Recorder

TS Recorded Thread: Closing

Closing TS Recorder

TS UDP Thread: Closing

Closing TS UDP

TS UDP Thread: Closing

Closing TS UDP

TS Thread: Closing

Closing TS

TS Thread: Closing

Closing TS

Nim Thread: Closing

TS Thread: Closing

TS Thread: Closing

Stopping TS: MT TS2

Main: Stopping Media Player 1

Stopping TS: MT TS1

Main: Stopping Media Player 2

Alt Stop

Alt Stop Done

MPV Event: MPV_EVENT_AUDIO_RECONFIG

Close Callback Called

MPV Event: MPV_EVENT_END_FILE

MPV Event: MPV_EVENT_SHUTDOWN